

/  
/

**Vt3a**

**Vt3a**

**Vt3a**

**Vt3a**

**Vt3a**




Wt RGF

Bradyry( T Bra )  
Ba Wt3a

Wt3a Ba



Wt


Wt





A: オートクライン






Wt

Wt

Wt3a

正常胚

ノックイン胚



Wt3a

Wt3a



**Wt3a**



---



**Wt**

— ±

(



***Nture Communications***  
**Intercellular exchange of *Wnt* ligands reduces cell population heterogeneity during embryogenesis**  
***Wnt***

**Yuki Hatakeyama, Nari Saito, Yusuke Nii, Ritsuko Takada, Takuma Shimozuka, Tatsuya Takemoto, Naki Hirata, Shiroji Takada**

**2023 4 6**  
**DOI [10.1038/s41467-023-33650-x](https://doi.org/10.1038/s41467-023-33650-x)**



/

1840254 2140248 2411102 1740582 1940497 2240562 2140593  
EXCLS 21-102

/

**TEL 0564 59 5241**  
**Email stakada@ribb.ac.jp**

**Email mensaito@hirosima-u.ac.jp**

**TEL: 0564 55 7628**  
**FAX 0564 55 7597**  
**Email: press@ribb.ac.jp**

**TEL: 0564 59 5208**  
**FAX 0564 59 5202**  
**Email: press@excells.orion.ac.jp**

**TEL: 082 424 3749**  
**FAX 082 424 6010**  
**Email: kcho@office.hirosima-u.ac.jp**