



60

60

**Heliyon** 5 31

**Association between dysphagia risk and sleep quality in community dwelling older adults : A cross-sectional study**

**Yohko Hama<sup>1,\*</sup>, Sachiko Yamada<sup>2</sup>, Rumi Nishimura<sup>2</sup>, Mitsuyoshi Yoshida<sup>3</sup>, Kazuhiro Tsuga<sup>1</sup>, Emi Muta<sup>4,5</sup>, Yudai Tamada<sup>6,7</sup>, Yasufumi Kato<sup>6</sup>, Yoko Kubo<sup>6</sup>, Rieko Okada<sup>6</sup>, Mako Nagayoshi<sup>6</sup>, Takashi Tamura<sup>6</sup>, Asahi Hishida<sup>6</sup>, Kenji Wakai<sup>6</sup> and Mariko Naito<sup>2</sup>**

- 1. Department of Advanced Prosthodontics, Hiroshima University Graduate School of Biomedical and Health Sciences, Hiroshima, Japan**
- 2. Department of Oral Epidemiology, Hiroshima University Graduate School of Biomedical and Health Sciences, Hiroshima, Japan**

**3.**

**Heliyon (Springer Nature Group)(Q1)**

**DOI  
10.1016/j.heliyon.2024.e32028**

**60**

**30 3**

				<b>J-MCC study</b>		
	<b>2012</b>	<b>2</b>	<b>2015</b>	<b>3</b>	<b>2</b>	<b>60</b>
	<b>3,058</b>					
					<b>(DRACE)</b>	
			<b>PSQI J</b>			
	<b>3,058</b>	<b>1,633</b>	<b>1,425</b>		<b>66.5± 4.2</b>	
<b>28.0</b>		<b>19.1</b>				
					<b>1.98 95%</b>	<b>1.38</b>
<b>2.83</b>		<b>1.69 1.29 2.20</b>			<b>1.88 1.20 2.94</b>	
					<b>6</b>	<b>1.47 1.02</b>
<b>2.14</b>	<b>1.39</b>	<b>1.00 1.92</b>				

**PSQJ**

**0**

**1 3**

**2.10 1.62**

**2.71**

**2.04 1.40 2.46**

**PSQJ**

**(DRACE)**

**12**

**PSQIJ**

**18**

**7**

**0 3**

**6**

**Tel 082-257-5959 FAX 082-257-5795**  
**E-mail [naiton@hirosima-u.ac.jp](mailto:naiton@hirosima-u.ac.jp)**

**4**

