

NEWS RELEASE

本件の報道解禁につきましては、平成 29 年 7 月 11 日(火)18 時以降にお願いいたします。

7

30 nm

Uniaxial orientation of P3HT film prepared by soft friction transfer method.


Masayoshi Imanishi¹, Daisuke Kajiya², Tomoyuki Koganezawa³, and Ken-ichi Saitow^{1,2}

- 1.
- 2.
- 3.

Scientific Reports

DOI


DOI : 10.1038/s41598-017-05396-9



1

30 nm

120-200



2

nm

P3HT

30-40


(a)

(b)(a)

(d)

60

c



3

MEH-PPV
EL

SPring-8

SPring-8 Super Photon ring-8 GeV

()

EL

EL

D

120-200

P3HT MEH-PPV Poly(3-hexylthiophene-2, 5-diyl)
Poly[2-methoxy-5-(2-ethylhexyloxy)-1, 4-phenylenevinylene]

A

Tel 082-424-7487 FAX 082-424-7486

E-mail saitow@hiroshima-u.ac.jp

URL: <http://home.hiroshima-u.ac.jp/saitow/> ()

Tel 082-424-6762 Fax : 082-424-6040

E-mail koho@office.hiroshima-u.ac.jp

SPring -8/SACLA

TEL 0791 -58 -2785 FAX 0791 -58 -2786

E-mail kouhou@spring8.or.jp